



$Product\ datasheet:\ Mechanical\ ventilation\ unit\ to\ Regulation\ (EU)\ No.\ 1254/2014\ |\ 1253/2014$

| Manufacturer Specific energy consumption under colder climate conditions with | kWh/(m²a) | 190390 tecalor |
|-----------------------------------------------------------------------------------------------------------|-----------|-------------------|
| | kWh/(m²a) | tecalor |
| Specific energy consumption under colder climate conditions with | kWh/(m²a) | |
| control subject to on-site requirements | | -81,60 |
| Specific energy consumption under average climate conditions with control subject to on-site requirements | kWh/(m²a) | -42,88 |
| Specific energy consumption under warmer climate conditions with control subject to on-site requirements | kWh/(m²a) | -18,07 |
| Energy efficiency class under colder climate conditions with control subject to on-site requirements | | A+ |
| Energy efficiency class under average climate conditions with control subject to on-site requirements | | A+ |
| Energy efficiency class under warmer climate conditions with control subject to on-site requirements | | Е |
| Ventilation unit type | | Zwei Richtungen |
| Drive type | | Drehzahlgeregelt |
| Heat recovery type | | Rekuperativ |
| Rate of temperature change for heat recovery | % | 86,0 |
| Max. air flow rate | m³/h | 300 |
| Max. power consumption | W | 92 |
| Sound power level LWA | dB(A) | 44 |
| Reference air flow rate | m³/s | 0,058 |
| Reference pressure differential | Pa | 50 |
| Specific power input | W/(m³/h) | 0,21 |
| Control factor, control subject to on-site requirements | | 0,65 |
| External air leakage quota | % | 14,30 |
| Annual power consumption under colder climate conditions with control subject to on-site requirements | kWh/a | 753 |
| Annual power consumption under average climate conditions with control subject to on-site requirements | kWh/a | 216 |
| Annual power consumption under warmer climate conditions with control subject to on-site requirements | kWh/a | 171 |
| Annual heating savings under colder climate conditions with control subject to on-site requirements | kWh/a | 9019 |
| Annual heating savings under average climate conditions with control subject to on-site requirements | kWh/a | 4621 |
| Annual heating savings under warmer climate conditions with control subject to on-site requirements | kWh/a | 2085 |




$Product\ datasheet:\ Mechanical\ ventilation\ unit\ to\ Regulation\ (EU)\ No.\ 1254/2014\ |\ 1253/2014$

| | | TVZ 170 E Plus |
|----------------------------------------------------------------------------------------------------|-----------|------------------|
| | | 190390 |
| Manufacturer | | tecalor |
| Specific energy consumption under colder climate conditions with central demand-dependent control | kWh/(m²a) | -77,88 |
| Specific energy consumption under average climate conditions with central demand-dependent control | kWh/(m²a) | -40,01 |
| Specific energy consumption under warmer climate conditions with central demand-dependent control | kWh/(m²a) | -15,69 |
| Energy efficiency class under colder climate conditions with central demand-dependent control | | A+ |
| Energy efficiency class under average climate conditions with central demand-dependent control | | A |
| Energy efficiency class under warmer climate conditions with central demand-dependent control | | E |
| Ventilation unit type | | Zwei Richtungen |
| Drive type | | Drehzahlgeregelt |
| Heat recovery type | | Rekuperativ |
| Rate of temperature change for heat recovery | % | 86,0 |
| Max. air flow rate | m³/h | 300 |
| Max. power consumption | W | 92 |
| Sound power level LWA | dB(A) | 44 |
| Reference air flow rate | m³/s | 0,058 |
| Reference pressure differential | Pa | 50 |
| Specific power input | W/(m³/h) | 0,21 |
| Control factor, central demand-dependent control | | 0,85 |
| External air leakage quota | % | 14,30 |
| Annual power consumption under colder climate conditions with central demand-dependent control | kWh/a | 806 |
| Annual power consumption under average climate conditions with central demand-dependent control | kWh/a | 269 |
| Annual power consumption under warmer climate conditions with central demand-dependent control | kWh/a | 224 |
| Annual heating savings under colder climate conditions with central demand-dependent control | kWh/a | 9019 |
| Annual heating savings under average climate conditions with central demand-dependent control | kWh/a | 4521 |
| Annual heating savings under warmer climate conditions with central demand-dependent control | kWh/a | 2085 |



Product datasheet: Mechanical ventilation unit to Regulation (EU) No. 1254/2014 | 1253/2014

| | | TVZ 170 E Plus | |
|--------------------------------------------------------------------------------|-----------|------------------|--|
| | | 190390 | |
| Manufacturer | | tecalor | |
| Specific energy consumption under colder climate conditions with time control | kWh/(m²a) | -75,82 | |
| Specific energy consumption under average climate conditions with time control | kWh/(m²a) | -38,38 | |
| Specific energy consumption under warmer climate conditions with time control | kWh/(m²a) | -14,31 | |
| Energy efficiency class under colder climate conditions with time control | | A+ | |
| Energy efficiency class under average climate conditions with time control | | A | |
| Energy efficiency class under warmer climate conditions with time control | | E | |
| Ventilation unit type | | Zwei Richtungen | |
| Drive type | | Drehzahlgeregelt | |
| Heat recovery type | | Rekuperativ | |
| Rate of temperature change for heat recovery | % | 86,0 | |
| Max. air flow rate | m³/h | 300 | |
| Max. power consumption | W | 92 | |
| Sound power level LWA | dB(A) | 44 | |
| Reference air flow rate | m³/s | 0,058 | |
| Reference pressure differential | Pa | 50 | |
| Specific power input | W/(m³/h) | 0,21 | |
| Control factor, time control | _ | 0,95 | |
| External air leakage quota | % | 14,30 | |
| Annual power consumption under colder climate conditions with time control | kWh/a | 832 | |
| Annual power consumption under average climate conditions with time control | kWh/a | 295 | |
| Annual power consumption under warmer climate conditions with time control | kWh/a | 250 | |
| Annual heating savings under colder climate conditions with time control | kWh/a | 8758 | |
| Annual heating savings under average climate conditions with time control | kWh/a | 4477 | |
| Annual heating savings under warmer climate conditions with time control | kWh/a | 2024 | |



$Product\ datasheet:\ Mechanical\ ventilation\ unit\ to\ Regulation\ (EU)\ No.\ 1254/2014\ |\ 1253/2014$

| | | TVZ 170 E Plus | |
|----------------------------------------------------------------------------------|-----------|------------------|--|
| | | 190390 | |
| Manufacturer | | tecalor | |
| Specific energy consumption under colder climate conditions with manual control | kWh/(m²a) | -74,75 | |
| Specific energy consumption under average climate conditions with manual control | kWh/(m²a) | -37,52 | |
| Specific energy consumption under warmer climate conditions with manual control | kWh/(m²a) | -13,57 | |
| Energy efficiency class under colder climate conditions with manual control | | A+ | |
| Energy efficiency class under average climate conditions with manual control | | A | |
| Energy efficiency class under warmer climate conditions with manual control | | E | |
| Ventilation unit type | | Zwei Richtungen | |
| Drive type | | Drehzahlgeregelt | |
| Heat recovery type | | Rekuperativ | |
| Rate of temperature change for heat recovery | % | 86,0 | |
| Max. air flow rate | m³/h | 300 | |
| Max. power consumption | W | 92 | |
| Sound power level LWA | dB(A) | 44 | |
| Reference air flow rate | m³/s | 0,058 | |
| Reference pressure differential | Pa | 50 | |
| Specific power input | W/(m³/h) | 0,21 | |
| Control factor, manual control | | 1,00 | |
| External air leakage quota | % | 14,30 | |
| Annual power consumption under colder climate conditions with manual control | kWh/a | 845 | |
| Annual power consumption under average climate conditions with manual control | kWh/a | 308 | |
| Annual power consumption under warmer climate conditions with manual control | kWh/a | 263 | |
| Annual heating savings under colder climate conditions with manual control | kWh/a | 8714 | |
| Annual heating savings under average climate conditions with manual control | kWh/a | 4454 | |
| Annual heating savings under warmer climate conditions with manual control | kWh/a | 2014 | |