



ENERG  
енергия · ενεργεια



tecalor

TTL 13.5 IK



55 °C

35 °C



A<sup>++</sup>

A<sup>+++</sup>



54 dB



46 dB

19

16

10

kW

23

16

8

kW



2019

811/2013

Технические характеристики изделия:

|              |       | TTL 13.5 IK |
|--------------|-------|-------------|
|              |       | 190474      |
| Manufacturer |       | tecalor     |
|              |       | A++         |
|              |       | A+++        |
|              | kW    | 16          |
|              | kW    | 16          |
|              | %     | 138         |
|              | %     | 175         |
|              | kWh/a | 9475        |
|              | kWh/a | 7284        |
|              | dB(A) | 54          |
|              |       | -           |
|              | kW    | 19          |
|              | kW    | 23          |
|              | kW    | 10          |
|              | kW    | 8           |
|              | %     | 127         |
|              | %     | 138         |
|              | %     | 157         |
|              | %     | 194         |
|              | kWh/a | 14103       |
|              | kWh/a | 16033       |
|              | kWh/a | 3373        |
|              | kWh/a | 2174        |
|              | dB(A) | 46          |



# ENERG

енергия · ενεργεια

Y

IJA

IE

IA

TTL 13.5 IK

## tecalor



A<sup>++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C


D

E

F

G

+



+



+



+



Технические характеристики изделия:

|              |   | TTL 13.5 IK |
|--------------|---|-------------|
|              |   | 190474      |
| Manufacturer |   | tecalor     |
|              | % | 175         |
|              |   | VI          |
|              | % | 4           |
|              | % | 143         |
|              | % | 120         |
|              | % | 173         |
|              | % | 23          |
|              | % | 30          |
|              |   | A+++        |
|              |   | A++         |

Технические характеристики изделия:

|              |    | TTL 13.5 IK |
|--------------|----|-------------|
|              |    | 190474      |
| Manufacturer |    | tecalor     |
|              |    | Luft        |
|              |    | -           |
|              |    | x           |
|              |    | -           |
|              | kW | 19          |
|              | kW | 16          |
|              | kW | 10          |
|              | kW | 14,0        |
|              | kW | 15,0        |
|              | kW | 10,0        |
|              | kW | 10,0        |
|              | kW | 11,0        |
|              | kW | 8,0         |
|              | kW | 8,0         |
|              | kW | 10,0        |
|              | kW | 8,0         |
|              | kW | 8,0         |
|              | kW | 8,0         |
|              | kW | 15,0        |
|              | kW | 15,0        |
|              | kW | 11,0        |
|              | kW | 12,0        |
|              | kW | 12,0        |
|              | kW | 11,0        |
|              | kW | 0,0         |
|              | °C | -7          |
|              | °C | -7          |
|              | °C | 2           |
|              | %  | 127         |
|              | %  | 138         |
|              | %  | 157         |
|              |    | 3,00        |
|              |    | 3,00        |
|              |    | 4,00        |
|              |    | 4,00        |
|              |    | 3,00        |
|              |    | 6,00        |
|              |    | 5,00        |
|              |    | 4,00        |
|              |    | 7,00        |
|              |    | 7,00        |
|              |    | 6,00        |
|              |    | 2,00        |
|              |    | 3,00        |
|              |    | 3,00        |
|              |    | 3,00        |
|              |    | 2,00        |
|              |    | 0,00        |
|              | °C | 65          |
|              | W  | 25          |
|              | W  | 25          |
|              | W  | 25          |
|              | W  | 0           |
|              | kW | 5,0         |
|              |    | elektrisch  |

|  |       |              |
|--|-------|--------------|
|  |       | veränderlich |
|  | dB(A) | 46           |
|  | dB(A) | 54           |
|  | kWh/a | 14103        |
|  | kWh/a | 9475         |
|  | kWh/a | 3373         |
|  | m³/h  | 2300         |