



ENERG
енергия · ενεργεια



tecalor

TTL 4.5 ACS



55 °C

35 °C



A⁺

A⁺⁺



0 dB



52 dB

5
4
4

kW

4
5
3

kW



2019

811/2013

Технические характеристики изделия:

		TTL 4.5 ACS
		190494
Manufacturer		tecalor
		A+
		A++
	kW	4
	kW	5
	%	116
	%	163
	kWh/a	2618
	kWh/a	2265
	dB(A)	0
		-
	kW	5
	kW	4
	kW	4
	kW	3
	%	105
	%	150
	%	139
	%	206
	kWh/a	4884
	kWh/a	2757
	kWh/a	1467
	kWh/a	889
	dB(A)	52



ENERG

енергия · ενέργεια

Y

IJA

IE

IA

TTL 4.5 ACS

tecalor



A⁺

A⁺⁺⁺

A⁺⁺

A⁺

A

B

C

D

E

F

G

A⁺

+



+



+



+



Технические характеристики изделия:

		TTL 4.5 ACS
		190494
Manufacturer		tecalor
	%	163
		VI
	%	4
	%	120
	%	109
	%	143
	%	8
	%	26
		A++
		A+

Технические характеристики изделия:

		TTL 4.5 ACS
		190494
Manufacturer		tecalor
		Außenluft
		-
		-
		-
	kW	5
	kW	4
	kW	4
	kW	3,2
	kW	3,4
	kW	2,0
	kW	2,0
	kW	3,9
	kW	2,5
	kW	1,3
	kW	1,3
	kW	1,5
	kW	1,5
	kW	1,5
	kW	3,8
	kW	3,0
	kW	4,0
	kW	3,2
	kW	3,4
	kW	3,9
	kW	0,0
	°C	-10
	°C	-5
	°C	2
	%	105
	%	116
	%	139
		2,28
		2,05
		3,40
		2,94
		2,13
		4,66
		4,13
		3,25
		6,65
		5,97
		5,15
		2,09
		2,15
		2,13
		2,28
		2,05
		2,13
		0,00
	°C	-15
	°C	-5
	°C	2
	°C	17
	°C	60
	°C	60

	W	17
	W	30
	W	17
	W	5
	kW	5,5
	kW	3,8
	kW	0,0
		elektrisch
		veränderlich
	dB(A)	52
	dB(A)	0
	kWh/a	4884
	kWh/a	2618
	kWh/a	1467
	m³/h	1300