



ENERG  
енергия · ενεργεια



tecalor

TTL 13.5 A



55 °C

35 °C



A<sup>++</sup>

A<sup>+++</sup>



54 dB



46 dB

19

16

10

kW

23

16

8

kW



2019

811/2013

Технические характеристики изделия:

|              |       | TTL 13.5 A |
|--------------|-------|------------|
|              |       | 190518     |
| Manufacturer |       | tecalor    |
|              |       | A++        |
|              |       | A+++       |
|              | kW    | 16         |
|              | kW    | 16         |
|              | %     | 138        |
|              | %     | 175        |
|              | kWh/a | 9475       |
|              | kWh/a | 7284       |
|              | dB(A) | 54         |
|              |       | -          |
|              | kW    | 19         |
|              | kW    | 23         |
|              | kW    | 10         |
|              | kW    | 8          |
|              | %     | 127        |
|              | %     | 138        |
|              | %     | 157        |
|              | %     | 194        |
|              | kWh/a | 14103      |
|              | kWh/a | 16033      |
|              | kWh/a | 3373       |
|              | kWh/a | 2174       |
|              | dB(A) | 46         |



ENERG  
енергия · ενέργεια



TTL 13.5 A

tecalor



A<sup>++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

+



+



+



+



Технические характеристики изделия:

|              |   | TTL 13.5 A |
|--------------|---|------------|
|              |   | 190518     |
| Manufacturer |   | tecalor    |
|              | % | 175        |
|              |   | VI         |
|              | % | 4          |
|              | % | 143        |
|              | % | 120        |
|              | % | 173        |
|              | % | 23         |
|              | % | 30         |
|              |   | A+++       |
|              |   | A++        |

Технические характеристики изделия:

|              |    | TTL 13.5 A |
|--------------|----|------------|
|              |    | 190518     |
| Manufacturer |    | tecalor    |
|              |    | Luft       |
|              |    | -          |
|              |    | x          |
|              |    | -          |
|              | kW | 19         |
|              | kW | 16         |
|              | kW | 10         |
|              | kW | 14,0       |
|              | kW | 15,0       |
|              | kW | 10,0       |
|              | kW | 10,0       |
|              | kW | 11,0       |
|              | kW | 8,0        |
|              | kW | 8,0        |
|              | kW | 10,0       |
|              | kW | 8,0        |
|              | kW | 8,0        |
|              | kW | 8,0        |
|              | kW | 8,0        |
|              | kW | 15,0       |
|              | kW | 15,0       |
|              | kW | 11,0       |
|              | kW | 12,0       |
|              | kW | 12,0       |
|              | kW | 11,0       |
|              | kW | 0,0        |
|              | °C | -7         |
|              | °C | -7         |
|              | °C | 2          |
|              | %  | 127        |
|              | %  | 138        |
|              | %  | 157        |
|              |    | 3,00       |
|              |    | 3,00       |
|              |    | 4,00       |
|              |    | 4,00       |
|              |    | 3,00       |
|              |    | 6,00       |
|              |    | 5,00       |
|              |    | 4,00       |
|              |    | 7,00       |
|              |    | 7,00       |
|              |    | 6,00       |
|              |    | 2,00       |
|              |    | 3,00       |
|              |    | 3,00       |
|              |    | 3,00       |
|              |    | 2,00       |
|              |    | 0,00       |
|              | °C | 65         |
|              | W  | 25         |
|              | W  | 25         |
|              | W  | 25         |
|              | W  | 0          |
|              | kW | 5,0        |
|              |    | elektrisch |

|  |       |              |
|--|-------|--------------|
|  |       | veränderlich |
|  | dB(A) | 46           |
|  | dB(A) | 54           |
|  | kWh/a | 14103        |
|  | kWh/a | 9475         |
|  | kWh/a | 3373         |
|  | m³/h  | 2300         |