



ENERG
енергия · ενεργεια



tecalor

TTL 4.5 IKCS



55 °C

35 °C



A⁺⁺

A⁺⁺⁺



45 dB



32 dB

■ 7
■ 4
■ 2

kW

■ 7
■ 5
■ 3

kW



2019

811/2013

Технические характеристики изделия:

		TTL 4.5 IKCS
		190524
Manufacturer		tecalor
		A++
		A+++
	kW	4
	kW	5
	%	128
	%	175
	kWh/a	2837
	kWh/a	2178
	dB(A)	45
		-
	kW	7
	kW	7
	kW	2
	kW	3
	%	116
	%	150
	%	136
	%	198
	kWh/a	5547
	kWh/a	4382
	kWh/a	923
	kWh/a	698
	dB(A)	32



ENERG
енергия · ενέργεια

Y

IJA

IE

IA

TTL 4.5 IKCS

tecalor



A⁺⁺

A⁺⁺⁺

A⁺⁺

A⁺⁺

A⁺

A

B

C

D

E

F

G

+



+



+



+



Технические характеристики изделия:

		TTL 4.5 IKCS
		190524
Manufacturer		tecalor
	%	175
		VI
	%	4
	%	132
	%	120
	%	140
	%	12
	%	8
		A+++
		A++

Технические характеристики изделия:

		TTL 4.5 IKCS
		190524
Manufacturer		tecalor
		Luft
		-
		x
		-
	kW	7
	kW	4
	kW	2
	kW	4,0
	kW	3,9
	kW	2,6
	kW	2,5
	kW	2,4
	kW	2,1
	kW	2,0
	kW	1,8
	kW	2,0
	kW	2,0
	kW	1,9
	kW	4,0
	kW	3,9
	kW	2,4
	kW	6,0
	kW	3,9
	kW	2,4
	kW	0,0
	°C	-7
	°C	-7
	°C	2
	%	116
	%	128
	%	136
		2,57
		2,22
		3,55
		3,10
		2,28
		5,26
		4,53
		3,35
		7,11
		6,44
		5,39
		2,57
		2,22
		2,28
		1,00
		2,22
		2,28
		0,00
	°C	-20
	°C	-10
	°C	2
	°C	60
	°C	60
	°C	60

	W	21
	W	56
	W	56
	W	26
	kW	1,5
		elektrisch
		veränderlich
	dB(A)	32
	dB(A)	45
	kWh/a	5547
	kWh/a	2837
	kWh/a	923
	m³/h	1240