




ENERG
енергия · ενεργεια



tecalor

TTL 15 ACS



55 °C

35 °C



A⁺⁺

A⁺⁺



50 dB

12

8

4

kW

11

8

4

kW



2019

811/2013

Технические характеристики изделия:

		TTL 15 ACS
		190528
Manufacturer		tecalor
		A++
		A++
	kW	8
	kW	8
	%	127
	%	159
	kWh/a	5084
	kWh/a	4086
	kW	12
	kW	11
	kW	4
	kW	4
	%	119
	%	140
	%	142
	%	190
	kWh/a	9351
	kWh/a	7597
	kWh/a	1489
	kWh/a	1106
	dB(A)	50



ENERG

енергия · ενέργεια

Y

IJA

IE

IA

TTL 15 ACS

tecalor



A⁺⁺

A⁺⁺⁺

A⁺⁺

A⁺⁺

A⁺

A

B

C


D

E

F

G

+



+



+



+



Технические характеристики изделия:

		TTL 15 ACS
		190528
Manufacturer		tecalor
	%	159
		VI
	%	4
	%	131
	%	123
	%	146
	%	8
	%	15
		A++
		A++

Технические характеристики изделия:

		TTL 15 ACS
		190528
Manufacturer		tecalor
		Außenluft
		x
		-
	kW	12
	kW	8
	kW	4
	kW	7,0
	kW	7,1
	kW	4,2
	kW	4,2
	kW	4,0
	kW	4,3
	kW	4,2
	kW	3,9
	kW	4,1
	kW	4,0
	kW	3,8
	kW	7,9
	kW	7,4
	kW	4,0
	kW	11,4
	kW	7,0
	kW	4,0
	kW	7,0
	°C	-10
	°C	-8
	°C	2
	%	119
	%	127
	%	142
		2,45
		2,18
		3,70
		3,30
		2,50
		4,53
		4,07
		3,16
		5,44
		514,00
		4,57
		2,28
		2,13
		2,50
		1,97
		1,97
		2,50
		1,97
	°C	-20
	°C	-10
	°C	2
	°C	65
	°C	65
	°C	65
	W	16

	W	16
	W	16
	W	43
	kW	2,3
	kW	1,0
	kW	0,0
		elektrisch
		veränderlich
	dB(A)	50
	kWh/a	9351
	kWh/a	5084
	kWh/a	1489
	m³/h	2300