



ENERG  
енергия · ενεργεια



tecalor

TTF 12.6 cool



55 °C

35 °C



A+++

A+++



39 dB



0 dB

12  
12  
12  
kW

12  
12  
12  
kW



2019

811/2013

Технические характеристики изделия:

|              |       | TTF 12.6 cool |
|--------------|-------|---------------|
|              |       | 190609        |
| Manufacturer |       | tecalor       |
|              |       | A+++          |
|              |       | A+++          |
|              | kW    | 12            |
|              | kW    | 12            |
|              | %     | 169           |
|              | %     | 216           |
|              | kWh/a | 5607          |
|              | kWh/a | 4445          |
|              | dB(A) | 39            |
|              |       | -             |
|              | kW    | 12            |
|              | kW    | 12            |
|              | kW    | 12            |
|              | kW    | 12            |
|              | %     | 174           |
|              | %     | 224           |
|              | %     | 168           |
|              | %     | 214           |
|              | kWh/a | 6485          |
|              | kWh/a | 5108          |
|              | kWh/a | 3650          |
|              | kWh/a | 2896          |
|              | dB(A) | 0             |



# ENERG

енергия · ενέργεια

Y

IJA

IE

IA

## tecalor

TTF 12.6 cool



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D

E

F

G

A<sup>+++</sup>

+



+



+



+



Технические характеристики изделия:

|              |   | TTF 12.6 cool |
|--------------|---|---------------|
|              |   | 190609        |
| Manufacturer |   | tecalor       |
|              | % | 216           |
|              |   | VII           |
|              | % | 4             |
|              | % | 172           |
|              | % | 178           |
|              | % | 171           |
|              | % | 6             |
|              | % | 1             |
|              |   | A+++          |
|              |   | A+++          |

Технические характеристики изделия:

|              |    | TTF 12.6 cool |
|--------------|----|---------------|
|              |    | 190609        |
| Manufacturer |    | tecalor       |
|              |    | Sole          |
|              |    | -             |
|              |    | x             |
|              |    | -             |
|              | kW | 12            |
|              | kW | 12            |
|              | kW | 12            |
|              | kW | 7,2           |
|              | kW | 10,6          |
|              | kW | 4,4           |
|              | kW | 6,4           |
|              | kW | 12,0          |
|              | kW | 2,8           |
|              | kW | 4,1           |
|              | kW | 7,7           |
|              | kW | 2,2           |
|              | kW | 2,2           |
|              | kW | 3,4           |
|              | kW | 12,0          |
|              | kW | 12,0          |
|              | kW | 12,0          |
|              | kW | 12,0          |
|              | kW | 12,0          |
|              | kW | 12,0          |
|              | °C | -22           |
|              | °C | -10           |
|              | °C | 2             |
|              | %  | 174           |
|              | %  | 169           |
|              | %  | 168           |
|              |    | 4,31          |
|              |    | 3,55          |
|              |    | 4,91          |
|              |    | 4,49          |
|              |    | 3,29          |
|              |    | 5,16          |
|              |    | 4,99          |
|              |    | 4,12          |
|              |    | 5,40          |
|              |    | 5,25          |
|              |    | 5,10          |
|              |    | 3,29          |
|              |    | 3,29          |
|              |    | 3,29          |
|              |    | 3,29          |
|              |    | 3,29          |
|              | °C | -22           |
|              | °C | -10           |
|              | °C | 2             |
|              | °C | 75            |
|              | °C | 75            |
|              | °C | 75            |
|              | W  | 19            |
|              | W  | 19            |

|  |       |              |
|--|-------|--------------|
|  | W     | 19           |
|  | W     | 0            |
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 0            |
|  | dB(A) | 39           |
|  | kWh/a | 6485         |
|  | kWh/a | 5607         |
|  | kWh/a | 3650         |
|  | m³/h  | 108          |