



ENERG

енергия · ενεργεια



tecalor


TTC 8.6 cool



**A+++**



**A**



2019

811/2013

Технические характеристики изделия:

|              |       | TTC 8.6 cool |
|--------------|-------|--------------|
|              |       | 190614       |
| Manufacturer |       | tecalor      |
|              |       | XL           |
|              |       | A+++         |
|              |       | A+++         |
|              |       | A            |
|              | kW    | 7            |
|              | kW    | 8            |
|              | kWh/a | 3461         |
|              | kWh/a | 3094         |
|              | kWh   | 1556,000     |
|              | %     | 158          |
|              | %     | 197          |
|              | %     | 108          |
|              | dB(A) | 46           |
|              |       | -            |
|              | kW    | 7            |
|              | kW    | 8            |
|              | kW    | 7            |
|              | kW    | 8            |
|              | kWh/a | 3985         |
|              | kWh/a | 3570         |
|              | kWh/a | 2243         |
|              | kWh/a | 1997         |
|              | kWh   | 1556,000     |
|              | kWh   | 1556,000     |
|              | %     | 163          |
|              | %     | 204          |
|              | %     | 157          |
|              | %     | 197          |
|              | dB(A) | 0            |



ENERG  
енергия · ενέργεια



tecalor

TTC 8.6 cool



A+++



A



A+++

A++

A+

A

B

C

D

E

F

G

A+++

+



+



+



+



A+++

A++

A+

A

B

C

D

E

F

G

A

Технические характеристики изделия:

|              |   | TTC 8.6 cool |
|--------------|---|--------------|
|              |   | 190614       |
| Manufacturer |   | tecalor      |
|              | % | 158          |
|              |   | VII          |
|              | % | 4            |
|              | % | 161          |
|              | % | 167          |
|              | % | 161          |
|              | % | 6            |
|              | % | 0            |
|              |   | A+++         |
|              |   | A+++         |
|              |   | A            |
|              |   | XL           |

Технические характеристики изделия:

|              |    | TTC 8.6 cool |
|--------------|----|--------------|
|              |    | 190614       |
| Manufacturer |    | tecator      |
|              |    | Sole         |
|              |    | -            |
|              |    | x            |
|              |    | x            |
|              | kW | 7            |
|              | kW | 7            |
|              | kW | 7            |
|              | kW | 4,2          |
|              | kW | 6,1          |
|              | kW | 2,5          |
|              | kW | 3,7          |
|              | kW | 6,9          |
|              | kW | 1,6          |
|              | kW | 2,4          |
|              | kW | 4,5          |
|              | kW | 1,1          |
|              | kW | 1,1          |
|              | kW | 2,0          |
|              | kW | 6,9          |
|              | kW | 6,9          |
|              | kW | 6,9          |
|              | kW | 6,9          |
|              | kW | 6,9          |
|              | kW | 6,9          |
|              | °C | -22          |
|              | °C | -10          |
|              | °C | 2            |
|              | %  | 163          |
|              | %  | 158          |
|              | %  | 157          |
|              |    | 4,07         |
|              |    | 3,44         |
|              |    | 4,60         |
|              |    | 4,21         |
|              |    | 3,22         |
|              |    | 4,90         |
|              |    | 4,69         |
|              |    | 3,88         |
|              |    | 4,75         |
|              |    | 4,61         |
|              |    | 4,85         |
|              |    | 3,22         |
|              |    | 3,22         |
|              |    | 3,22         |
|              |    | 3,22         |
|              |    | 3,22         |
|              |    | 3,22         |
|              | °C | -22          |
|              | °C | -10          |
|              | °C | 2            |
|              | °C | 75           |
|              | °C | 75           |
|              | °C | 75           |
|              | W  | 16           |
|              | W  | 16           |
|              | W  | 16           |
|              | W  | 0            |
|              | kW | 0,0          |

|  |       |              |
|--|-------|--------------|
|  | kW    | 0,0          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 0            |
|  | dB(A) | 46           |
|  | kWh/a | 3985         |
|  | kWh/a | 3461         |
|  | kWh/a | 2243         |
|  | m³/h  | 68           |
|  |       | XL           |
|  | kWh   | 7,080        |
|  | kWh   | 7,080        |
|  | kWh   | 7,080        |
|  | kWh   | 1556,000     |
|  | kWh   | 1556,000     |
|  | kWh   | 1556,000     |
|  | %     | 108          |