




ENERG  
енергия · ενεργεια



tecalor

TTL 7.6 ACS



55 °C

35 °C

A+++

A+++

A+++

A++

A+

A

B

C

D



0 dB



48 dB

12

8

4

kW

12

8

4

kW



2019

811/2013

Технические характеристики изделия:

|              |       | TTL 7.6 ACS |
|--------------|-------|-------------|
|              |       | 190741      |
| Manufacturer |       | tecalor     |
|              |       | A+++        |
|              |       | A+++        |
|              | kW    | 8           |
|              | kW    | 8           |
|              | %     | 153         |
|              | %     | 193         |
|              | kWh/a | 4219        |
|              | kWh/a | 3413        |
|              | dB(A) | 0           |
|              |       | -           |
|              | kW    | 12          |
|              | kW    | 12          |
|              | kW    | 4           |
|              | kW    | 4           |
|              | %     | 128         |
|              | %     | 151         |
|              | %     | 163         |
|              | %     | 231         |
|              | kWh/a | 9005        |
|              | kWh/a | 7574        |
|              | kWh/a | 1388        |
|              | kWh/a | 984         |
|              | dB(A) | 48          |



# ENERG

енергия · ενεργεια

Y

IJA

IE

IA

## tecalor

TTL 7.6 ACS



A<sup>+++</sup>

A<sup>+++</sup>

A<sup>++</sup>

A<sup>+</sup>

A

B

C

D


E

F

G

A<sup>+++</sup>

+



+



+



+



Технические характеристики изделия:

|              |   | TTL 7.6 ACS |
|--------------|---|-------------|
|              |   | 190741      |
| Manufacturer |   | tecalor     |
|              | % | 193         |
|              |   | VI          |
|              | % | 4           |
|              | % | 157         |
|              | % | 132         |
|              | % | 167         |
|              | % | 25          |
|              | % | 10          |
|              |   | A+++        |
|              |   | A+++        |

Технические характеристики изделия:

|              |    | TTL 7.6 ACS |
|--------------|----|-------------|
|              |    | 190741      |
| Manufacturer |    | tecalor     |
|              |    | Außenluft   |
|              |    | -           |
|              |    | x           |
|              |    | -           |
|              | kW | 12          |
|              | kW | 8           |
|              | kW | 4           |
|              | kW | 7,2         |
|              | kW | 7,0         |
|              | kW | 4,4         |
|              | kW | 4,3         |
|              | kW | 4,3         |
|              | kW | 3,1         |
|              | kW | 3,0         |
|              | kW | 2,8         |
|              | kW | 3,7         |
|              | kW | 3,6         |
|              | kW | 3,5         |
|              | kW | 7,2         |
|              | kW | 7,0         |
|              | kW | 4,3         |
|              | kW | 5,0         |
|              | kW | 6,5         |
|              | kW | 4,3         |
|              | kW | 6,3         |
|              | °C | -7          |
|              | °C | -7          |
|              | °C | 2           |
|              | %  | 128         |
|              | %  | 153         |
|              | %  | 163         |
|              |    | 2,70        |
|              |    | 2,43        |
|              |    | 4,31        |
|              |    | 3,79        |
|              |    | 2,93        |
|              |    | 5,99        |
|              |    | 5,22        |
|              |    | 3,90        |
|              |    | 6,88        |
|              |    | 6,33        |
|              |    | 5,53        |
|              |    | 2,70        |
|              |    | 2,43        |
|              |    | 2,93        |
|              |    | 1,78        |
|              |    | 2,14        |
|              |    | 2,93        |
|              |    | 2,22        |
|              | °C | -22         |
|              | °C | -10         |
|              | °C | 2           |
|              | °C | 75          |
|              | °C | 75          |
|              | °C | 75          |

|  |       |              |
|--|-------|--------------|
|  | W     | 12           |
|  | W     | 10           |
|  | W     | 12           |
|  | W     | 10           |
|  | kW    | 6,9          |
|  | kW    | 1,4          |
|  | kW    | 0,0          |
|  |       | elektrisch   |
|  |       | veränderlich |
|  | dB(A) | 48           |
|  | dB(A) | 0            |
|  | kWh/a | 9005         |
|  | kWh/a | 4219         |
|  | kWh/a | 1388         |
|  | m³/h  | 2250         |