




ENERG
енергия · ενεργεια



tecalor

TTL 48.5 AC-2



55 °C

35 °C



A⁺⁺

A⁺⁺



63 dB



67 dB

■ 51

■ 56

■ 52

kW

■ 49

■ 54

■ 50

kW



2019

811/2013

Технические характеристики изделия:

		TTL 48.5 AC-2
		190908
Manufacturer		tecalor
		A++
		A++
	kW	56
	kW	54
	%	137
	%	170
	kWh/a	32905
	kWh/a	25952
	dB(A)	63
	kW	51
	kW	49
	kW	52
	kW	50
	%	133
	%	158
	%	165
	%	198
	kWh/a	37039
	kWh/a	30019
	kWh/a	16507
	kWh/a	13339
	dB(A)	67



ENERG

енергия · ενέργεια

Y

IJA

IE

IA

tecalor

TTL 48.5 AC-2



A⁺⁺

A⁺⁺⁺

A⁺⁺

A⁺⁺

A⁺

A

B

C


D

E

F

G

+



+



+



+



Технические характеристики изделия:

		TTL 48.5 AC-2
		190908
Manufacturer		tecalor
	%	170
		VII
	%	4
	%	140
	%	136
	%	169
	%	4
	%	28
		A++
		A++

Технические характеристики изделия:

		TTL 48.5 AC-2
		190908
Manufacturer		tecalor
		Außenluft
		-
		-
		-
	kW	51
	kW	56
	kW	52
	kW	49,5
	kW	49,2
	kW	50,2
	kW	51,3
	kW	51,9
	kW	68,0
	kW	67,2
	kW	66,7
	kW	73,8
	kW	76,5
	kW	73,1
	kW	41,5
	kW	49,2
	kW	51,9
	kW	32,2
	kW	46,8
	kW	51,9
	°C	-15
	°C	-7
	°C	2
	%	133
	%	137
	%	165
		3,32
		2,71
		3,65
		3,37
		2,76
		4,86
		4,40
		4,14
		5,27
		530,00
		5,04
		2,48
		2,71
		2,76
		1,80
		2,44
		2,76
	°C	-22
	°C	-10
	°C	2
	°C	65
	°C	65
	°C	65
	W	113
	W	114

	W	113
	W	0
		elektrisch
		fest
	dB(A)	67
	dB(A)	63
	kWh/a	37039
	kWh/a	32905
	kWh/a	16507